

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

68.13

HAMMONASSETT GARDENS

MADISON — CONN.

1931



GROWERS OF

*“Delightful
Old-fashioned
Flowers”*

OR

HARDY PLANTS
A MOST COMPLETE COLLECTION

FORMERLY

FRANK JOSIFKO'S

“OLD-FASHIONED FLOWERS”

FOREWORD

TO ALL customers and friends of years past we wish to announce that FRANK JOSIFKO'S OLD FASHIONED FLOWER GARDENS will be owned and operated by IRVING H. MERRIMAN under the name of HAMMONASSETT GARDENS. Although Mr. Josifko has relieved himself of most of the responsibility, he will remain with us holding an important part in the management.

The business name has been changed from OLD FASHIONED FLOWER GARDENS to HAMMONASSETT GARDENS for two reasons:

1. **OLD FASHIONED FLOWER GARDENS** was confusing with other businesses of similar name, with which there is no connection whatsoever.
2. **"Hammonasset"** is an Indian name long used for this section of Madison.

You will receive the same careful attention as before with prompt personal service based upon years of experience.

The HAMMONASSETT GARDENS catalogue is presented with reasonable confidence in the quality of the stock which is offered. It also embraces a most complete and select assortment of the choicest varieties of plants suitable for distinctive and uncommonly beautiful perennial borders and charming rock gardens. These varieties, all of which are grown here at Madison, are selected with discrimination and care.

By living up to the high standard of quality which we have set, merits a continuance of the patronage which has been hitherto enjoyed. We value, as our greatest asset, the patronage of the host of satisfied clients, who, year after year, entrust to us the commissions for their requirements in making their home "A place of beauty and joy forever."

This list cancels all previous offers.

IRVING H. MERRIMAN,
Madison, Conn.

Read Before Ordering

PRICES quoted in this list are net, F.O.B., and subject to no discounts. Our prices are as low as the high quality of the stock warrants and are consistent with the prices of other reputable firms. **QUALITY** must be considered in comparing prices.

ORDERS. To avoid disappointments we urge orders being placed early. **All plants** are offered subject to being unsold on receipt of order. Please give explicit shipping directions. **Write your name and address distinctly.**

TERMS. Cash with order. Any orders involving other terms must be accompanied by satisfactory references. Postage or Express charges must be paid by customer. All orders accompanied with cash in full will be packed without charge.

C.O.D. ORDERS must be accompanied by a remittance of part payment to guarantee charges. All such orders can only be shipped by express.

SMALL ORDERS. We do not solicit orders for less than \$1.00 and such orders will not be filled unless an allowance for packing be made. Packing charges are made at actual cost.

SUBSTITUTIONS. Unless specifically authorized to do so, no substitutions are made. We suggest, however, that we be instructed to use our judgment in such cases, as often, as the season advances, we may be sold out on some varieties, but we may still have equally choice items available which will prove as good as—and often superior to—the varieties ordered and which cannot be supplied.

RISK. Shipments travel at purchaser's risk. Our responsibility ceases upon delivery to the transportation company and when we have their receipt for shipment.

ERRORS. Keep an exact copy of your order. We endeavor to fill all orders correctly. When we are at fault we will make satisfactory adjustment.

NON-WARRANTY. We grow and ship only the best and healthiest plants, but we cannot give any warranty as to description or trueness to name, as conditions, climatic and soil, exist over which we have no control.

SELECTION. Plants are arranged with botanical names in alphabetical order for your selection. Special Offers on inside back cover. Annuals and Bedding plants on page 31.

HAMMONASSETT GARDENS

PRICES

25 cents each for good strong plants; \$2.50 per doz. of one variety, except where otherwise noted. Extra heavy clumps at correspondingly higher prices. Six of a variety at the dozen rate. **Selected varieties, one of each, at the single rate.**

Varieties preceded by an asterisk (*) are suitable for use in Rock Gardens.

Varieties preceded by (x) are sold out for this season.

CULTURAL HINTS

Every perennial border should be planted according to some prearranged scheme and with a definite object in view, keeping in mind height and color of each plant. Some background is advisable to produce a better effect.

Preparing the ground is essential before planting. The ground should be spaded at least 12-15 inches deep with well rotted manure mixed thoroughly with the soil. Some slaked lime mixed in will purify the soil and aid greatly in growth of the plants.

Planting should be done more in groups to produce a better effect. Keep the taller growing plants in back and the lower in front. Distances apart depend upon the variety of plants. 12-18 inches is advisable.

In considering the color, careful thought must be given to the contrasts and harmonious blending, to prevent later rearranging.

After the planting is done, thorough watering is essential as well as cultivating and keeping clean. Some light covering of dry litter such as grass clippings or peat moss will aid for thrifty growing and will save moisture, as well as protect the plant from extremity through the summer.

After the season is over a light protection from the winter is necessary such as a covering with leaves, salt hay or similar light materials. This covering should not be left on, later than the end of March. The decayed parts from this covering may be turned under with a fork to be used as a fertilizer.



ACONITUM

- ACHILLEA.** Well drained soil in sun.
ageratum (Sweet Yarrow). Yellow. 15 in. June.
filipendula (Fernleaf Yarrow). Yellow. 3 ft. July.
macedonica. Yellow. 3 ft. June-July.
Millefolium roseum (Pink Yarrow). Pink. 18 in. July-Sept.
Parker's Variety. Taller; yellow. 2½ ft. June-Sept.
Ptarmica, Boule de Neige. Compact. 15 in. June-Sept.
Ptarmica, Perry's White. Large; white. 18 in. June-July.
**tomentosa* (Woolly Yarrow). Bright yellow. 8 in. June.
- ACONITUM.** Ordinary soil in sun or semi-shade.
autumnale (Autumn Monkshood). Deep blue. 30 cts. each, \$3 per doz. Sept. 2 ft.
Fischeri Wilsoni (Violet Monkshood). Large; violet-blue. 75c each. 5 ft. Sept.-Oct.
x lycoctonum (Wolfsbane). Yellow. 2½ ft. June. 50 cts. each.
Napellus (Aconite). Dark blue. 35 cts. each, \$3.50 per doz. 3 ft. June.
Napellus alba (White Aconite). Light blue. 50 cts. each. 3 ft. June.
x Napellus bicolor. Blue and white. \$1 each. June-July. 2 ft.
x Pyrenaicum. Clear yellow, 2½ ft. June.
- ACORUS.** Moist soil, sun or semi-shade.
Calamus (Sweet Flag). Aromatic rootstock. July. 2 ft.
Calamus variegatus (Striped Sweet Flag). Variegated. July. 2 ft.
- ADENOPHORA.** Ordinary soil in sun.
x Potanini (Bush Ladybell). Pale blue. 1½ ft. July.
- ADONIS.** Ordinary soil in sun or light shade.
**amurensis* (Adonis). Large; yellow. \$1.00 each. season.
**amurensis flore-pleno.* Double; yellow. \$1.00 each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

AETHIONEMA. Well drained soil in sun.
*x*grandiflorum* (Persian Stone Cress). Rose. Silver-gray foliage. 12 in. Sold out for season.

AETHIOPAPPUS. Ordinary soil in sun.
Pulcherrimus. Pinkish white flowers. 1½ ft. June-Sept. 60c ea.

AGAPANTHUS. Ordinary soil in sun.
umbellatus (African Lily). Blue. 3 ft. July-Aug. \$1 each. (Not quite hardy.)

AJUGA. Ordinary soil in sun.

**genevensis* (Bugle). Blue. 6 in. May-June.

**reptans variegata* (Yellow Variegated Bugle). Foliage variegated yellow. 6 in. May-June.

**versicolor* (White Variegated Bugle). Showy. 6 in. May-June. 40 cts. each.

ALLIUM. Ordinary soil in sun.

**cyaneum.* Light blue, 12 in. May-June. 40c ea.

**flavum* (Yellow Chive). Yellow. 12 in. June. 35 cts.


stellatum. Rose pink flowers. June. 18 in. 40c.

ALTHAEA. (Hollyhocks.) Ordinary soil; sun.

Rosea Double. In many delightful colors.

Rosea Single. In lovely assortment.

20 cts. each, \$2 per doz.; extra strong, 30 cts. per doz. \$3.00.



AUBRIETIA

ALYSSUM. Well drained soil in sun.

*x*argenteum* (Silver). Yellow. 12 in. June-July. (Sold out for season.)

**rostratum* (Yellowhead Alyssum). Golden yellow. 12 in. June-July.

citrinum. Light yellow. 10 in. May-June. 30 cts. ea.

**saxatile compactum* (Golden Tuft). Yellow; fragrant. 10 in. April-May.

**Wulfenianum.* Sulphur-yellow. 40 cts. each. 6 in. June.

AMPELOPSIS. Ordinary soil in sun.
heterophylla elegans. A vine with pretty variegated foliage. 50c each.

AMSONIA. Ordinary soil in sun or light shade.

Tabernaemontana (salicifolia). (Willow Amsonia.) Steel-blue. 2½ ft. May-June. 30 cts. each.

ANCHUSA. Well drained, rich soil in sun.

Barrelieri (Early Bugloss). Dark blue; white eye. 2½ ft. May.

italica. **Dropmore.** (Italian Bugloss). Sky-blue, 6 ft.

myosotidiflora (Siberian Bugloss). Blue. April-May. 12 in. 50 cts. each.

ANEMONE. Rich soil in light shade.

**hupehensis* (Windflower). Pale mauve. 12 in. Aug.-Oct. 35 cts. each, \$3.50 per doz.

japonica alba. Single; white. Sept.-Oct.

—*Honorine Joubert.* Largest white. 2-3 ft. Sept.-Oct.

—*Louis Ulink.* White; double. 2-3 ft. Sept.-Oct. 35 cts. each.

—*Prince Heinrich.* Double; crimson. 2-3 ft. Sept.-Oct.

—*Queen Charlotte.* Semi-double; rare pink. 2-3 ft. Sept.-Oct.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



CAMPANULA MOERHEIMI (See page 7)

ANEMONE (Cont'd)

- rubra**. Rosy red. 2½ ft. Sept.-Oct.
- Whirlwind**. White. 2-3 ft. Sept.-Oct.
- ***Pennsylvanica**. Fine white. 12 in. May-June. 25c ea.
- ***pulsatilla** (European Pasqueflower). Violet. 12 in. April-May. 35 cts. each.
- pulsatilla alba**. White. 10 in. April-May. 75c ea.
- ***rubra** (Red Pasqueflower). 12 in. April-May. 30 cts. each.
- x **vitifolia tomentosa**. Pinkish rose. 2 ft. Aug.-Sept. 40 cts. each. (Sold out for season.)

All Anemones 30 cts. each, \$3 per doz., except where otherwise noted.

ANTHEMIS. Ordinary soil in sun or light shade.

- tinctoria Kelwayi** (Kelway Chamomile). Golden yellow. 2-3 ft. June-Oct.

ANTHERICUM liliastrum (St. Bruno's Lily). June. White. 2 ft. 30 cts. each.

AQUILEGIA. Well drained soil in sun.

- ***Alpina** (Alpine Columbine). Chaste blue. 18 in. June. 30c ea.
- ***caerulea** (Colorado Columbine). Blue and white; long-spurred. 2 ft. May-June. 35 cts. each.
- chrysantha** (Golden Columbine). Yellow; long-spurred. 3 ft. June-July.
- hylodgensis**. Long-spurred mixed colors. June. 2½ ft.
- vulgaris** (European Columbine). Single and double; violet-blue. 2-3 ft. May-June.
- vulgaris nivea** (White European Columbine). Low; white. 2½ ft. May-June.

ARABIS. Well drained soil in sun.

- ***alpina** (Alpine Rock Cress). White. 5 in. April-May.
- ***alpina flore-pleno** (Double Alpine Rock Cress). Double. 6 in. May. 40 cts. each.
- ***alpina rosea**. Light pink. 6 in. May. 35 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

ARCTOSTAPHYLOS. Sandy acid soil in semi-shade.

***Uva-ursi** (Bearberry). Trailing evergreen. Flowers white, followed by large red berry. 50 cts. each.

ARENARIA. Well drained soil in sun.

***montana** (Mountain Sandwort). White. 4 in. April-May. 30 cts. each.

***verna** (Tufted Sandwort). White. 1-2 in. May-Aug. 30 cts. each.

ARRHENANTHERUM. Ordinary soil in sun.

***bulbosum variegatum** (Variegated Oatgrass). Green and white leaves. 12 in.

ARTEMISIA. Ordinary soil in sun.

abrotanum (Southernwood). Aromatic odor. 2-3 ft. 30 cts. each.

Absinthium (Common Wormwood). Medicinal qualities. 2-3 ft.

Dracunculus (Tarragon). True. Many culinary uses. 3 ft. 35 cts. each.

lactiflora (White Mugwort). Creamy white; fragrant. 4-5 ft.

***Stelleriana** (Beach Wormwood). Silvery cut foliage. 12 in.

ASCLEPIAS. Ordinary soil in sun.

tuberosa (Butterfly Weed). Orange. Showy. 2 ft. July-Aug. 35 cts. each.

ASPERULA. Ordinary soil in light shade.

hexaphylla (Misty Woodruff). Used for bouquets instead of Baby's Breath. Scented. 2½ ft. June-July.

***odorata** (Sweet Woodruff). Fragrant leaves. White. 10 ins. July.

ASTER (Michaelmas Daisy). Rich soil in sun.

Amellus (Italian Aster). Early; pink-lavender. 2 ft. Aug.-Sept. 30 cts. each.

—**King George.** New. Large; bluish violet. 2 ft. Aug.-Sept. 50 cts. each, \$5 per doz.

—**rosea.** Pink. 2 ft. Aug.-Sept. 30 cts. each.

Feltham. Lavender-blue. 4 ft. October.

Enfante de Vetry. Semi-double; lilac-mauve. 2½ ft. Sept. 35 cts. each.

japonica alba plena. Double; white. Sept.-Oct.

*—**Mauve Cushion.** Mauve. 9 in. Oct.-Nov.

—**Lutetia.** Beautiful yellow-lavender. 2-3 ft. Sept.-Oct.

novae-angliae, Beauty of Castille. Dark purple. 3½-4 ft. Sept.-Oct.

—**Mrs. S. T. Wright.** Rosy purple. 4 ft. Sept.-Oct.

novi-belgi, Climax. Lavender blue. 3 ft. Aug.-Oct.

—**Grace Sweet.** Dark lavender blue. 4 ft. Sept.

—**Thelma Perry.** Pink. 4 ft. Aug.-Sept.

—**White Climax.** White. 3 ft. Aug.-Oct.

tataricus. Bluish violet. 5-6 ft. Oct.

ASTILBE. Moist ground in sun or semi-shade.

Arendsi, Ceres. Light rose, silvery sheen. 2½ ft. July-Aug. 50 cts. each, \$5 per doz.

—**Moerheimi.** Creamy white. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz.

—**Princess Juliana.** Soft pink. 2 ft. July. 50 cts. each.

—**Queen Alexandra.** Deepest pinkish red. 2 ft. July-Aug. 50 cts. each, \$5 per doz.

—**Salland.** Distinct red. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz.

—**W. E. Gladstone.** Large; white. 2-2½ ft. July. 50 cts. each, \$5 per doz.

ASTRANTIA corniculica rosea. Light pink. 2 ft. Summer. 35 cts. each.

AUBRIETIA. Ordinary soil in light shade.

***deltoidea graeca.** Purplish blue. 6 in. April-May. 30 cts. each, \$3 per doz.

***Mixed Hybrids.** Mixture of large-flowering varieties. 6 in. April-May. 30 cts. each, \$3 per doz.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

- BAPTISIA.** Ordinary soil in sun.
australis (False Indigo). Dark blue. 3-4 ft. May-July.
- BELAMCANDA.** Ordinary soil in sun.
chinensis (*Pardanthus chinensis*). (Blackberry Lily.) Orange. 3 ft. July-Aug.
- BELLIS.** Ordinary soil in sun or light shade.
**perennis* (English Daisy). Double; white and pink. 5 in. May-June. 10 cts. each, \$1 per doz.
- BOCCONIA.** Ordinary soil in sun or light shade.
cordata (*japonica*). (Pink Plume Poppy.) Pinkish white. 6-8 ft. July-Aug.
- BOLTONIA.** Ordinary soil in sun.
asteroides (White Boltonia). White. 4½-5 ft. Aug.-Sept.
latisquama (Violet Boltonia). Pink, tinged lavender. 4-5 ft. Aug.-Sept.
- BUDDLEIA.** Well drained soil in sun.
Davidi magnifica (Butterfly Bush). Lilac-mauve. A superb shrub. 50 cts. and \$1 each.
- BUPHTHALMIUM.** Ordinary soil in sun.
salicifolium (Willowleaf Ox-eye). Yellow. 1½ ft. June-July.
speciosum (*cordifolium*). (Heartleaf Ox-eye). Large; yellow. 3-4 ft. June-July.
- CALAMINTHA.** Ordinary soil in sun.
**satureia alpina*. Rose. 6 in. June.
- CALIMERIS.** Ordinary soil in sun.
incisa. Light purple, yellow stamens. 2 ft. July-Aug.
- CALLIRHOE.** Well drained soil in sun.
**involuta* (Low Poppy Mallow). Crimson; white center. 12 in. June-Sept.
- CALLUNA.** Peaty soil in semi-shade.
**vulgaris nana* (Moss Heather). 6 in. July. 75 cts. each.
- CALYSTEGIA pubescens** (California Rose). Pink; double. 35 cts. each; \$4.00 dozen.
- CAMASSIA.** Ordinary soil in sun or semi-shade.
esculenta (*quamash*). Light blue. 2½ ft. May-June. 30 cts. each.
leichtlini (Camas). Yellow, star-like flowers; early. 3-4 ft. May-June. 40 cts. each.
leichtlini alba. Creamy white, star-like flowers. 3 ft. May-June. 60 cts. each.



CAMPANULA CARPATICA

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS



CYCLAMEN HEDERAEFOLIUM (Page 10)

- CAMPANULA.** Well drained soil in sun.
alliariaefolia (Spurred Bellflower). White. 2 ft. July. 30 cts. each, \$3 per doz.
**carpatica* (Carpathian Bellflower). Light blue. 6 in. July-Aug.
**carpatica alba*. White. 6 in. July-Aug.
glomerata. Purple. 1½ ft. June-July.
glomerata superba (Showy Cluster Bellflower). Clusters of deepest blue. 1½ ft. June-July. 30 cts. each.
x lactiflora (Milky Bellflower). Bluish white. Sold out for season.
latifolia macrantha (Royal Bellflower). Purple. 3 ft. June-July.
Medium (Canterbury Bells). Blue, Rose, and White. 2 ft. June.
Medium calycanthema (Cup-and-Saucer Bellflower). In Blue, Lilac, Rose, and White. 2 ft. June.
persicifolia (Peachleaf Bellflower). Blue. 2 ft. June-July.
persicifolia fl. plena. Double peach-leaved campanula. Blue. 2 ft. June-July. 40 cts. each.
persicifolia alba. White. 2 ft. June-July.
persicifolia Moerheimi. White; double. 60 cts. each. 2 ft. June-July.
**Portenschlagiana* (Dalmatian Bellflower). Dark blue. 5 in. May-June. 50 cts. each.
punctata (nobilis). (Spotted Bellflower). Spotted purplish rose; distinct. 30 cts. each. 2 ft. June-July.
pyramidalis (Chimney Bellflower). Blue and white. 4-5 ft. Aug.-Sept.
**rotundifolia* (Harebell). Blue. 1 ft. June-Aug.
trachelium (Coventry Bells). 2-3 ft. June-July.
- CANNAS.** We offer only the best varieties and the most desirable colors. Prices according to the variety.
- CAREX.** Ordinary soil in semi-shade.
**Morrowi foliis variegatis*. Yellow variegated foliage. 1 ft.
- CARYOPTERIS.** Ordinary soil in sun.
incana (mastacanthus). (Bluebeard). Lavender-blue. 3-4 ft. Sept.-Oct. 50 cts. each.
- CASSIA.** Ordinary soil in sun.
Marilandica (Wild Senna). Yellow and bronze. 4 to 6 ft. June-Sept.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

CATANANCHE. Ordinary soil in sun.

caerulea (Blue Cupid's Dart). 2 ft. June-Aug.

caerulea bicolor. White and blue. 2 ft. June-Aug.

CEDRONELLA. Ordinary soil in sun.

x *cana* (Hoary Cedronella). Crimson. 2½ ft. July-Oct.
(Sold out for season.)

CENTAUREA. Ordinary soil in sun.

Clementei (Spanish Centaurea). Plant densely white and woolly. 3 ft.

dealbata (Persian Centaurea). Rose. 1½ ft. July-Aug.

macrocephala (Globe Centaurea). Yellow. 3 ft. July-Aug.

montana (Mountain Bluet). Violet-blue. 2 ft. June-Sept.

montana alba. White. 2 ft. June-Sept.

montana rosea (Rose Centaurea). Rose. 1½ ft. June-Sept.

x *ruthenica* (Ruthenian Centaurea). Sulphur-yellow. 3 ft. July. 35 cts. each.

CENTRANTHUS. Ordinary soil in sun.

ruber (Jupiter's Beard). Crimson. 3 ft. June-July.

ruber albus. White. 3 ft. June-July.

CEPHALARIA. Ordinary soil in sun.

alpina. Delicate sulphur-yellow. 5 ft. June-July.

tatarica. Yellow. 5-6 ft. June-July.

CERASTIUM. Ordinary soil in sun.

**Biebersteini* (Taurus Cerastium). White. 6 in. May-June.

**tomentosum* (Snow-in-Summer). White. 6 in. May-June.

CERATOSTIGMA. Ordinary soil in sun.

**plumbaginoides* (Larpente Plumbago). Deep blue. 6-8 in. Aug.-Sept.

CHIERANTHUS. Well drained soil in sun.

**allioni* (Wallflower). Orange shade. 1 ft. June-July.

CHELONE. Ordinary soil in sun.

glabra (Turtlehead). Reddish flowers. 2-3 ft. Aug.-Sept.

glabra alba. White. 2-3 ft. Aug.-Sept.

Lyoni Hybrids. Many shades. 2-3 ft. Aug.-Sept.

CHIVES (Herb). Used in the kitchen.

CHRYSANTHEMUM. Rich soil in sun.

arcticum (Arctic Chrysanthemum). Late fall; white. 1-1½ ft. Sept.-Oct.

arcticum roseum (Pink Arctic Chrysanthemum). Pink. 1-1½ ft. Sept.-Oct.

balsamita (**Tanacetum balsamita**). (Costmary). Fragrant leaves. 2-3 ft.

coccineum roseum (**Pyrethrum roseum**). (Painted Lady). Showy blooms. 2½ ft. May-June.

maximum, Alaska. Called Shasta Daisy. White. 2 ft. July-Sept.

nipponicum (Nippon Ox-eye Daisy). White. Single.

uliginosum (**Pyrethrum uliginosum**). (Giant Daisy). White daisy with yellow center. 4-5 ft. Aug.-Sept.

indicum (japonicum). (Mother Chrysanthemum). Only the best hardy varieties, distinctive in color, grown:

Alice Howell. Orange. 3 ft. Oct.

Brown Bessie. Pompon. Bronze-red. 2 ft. Oct.

Davenport. Pink. 3 ft. Oct.-Nov.

Harvest Moon. Yellow. 1 ft. Oct. 15th.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS



DORONICUM (See Page 11)

CHRYSANTHEMUM (Cont'd.)

- Idolf.** Salmon-pink. 2 ft. Sept.-Oct.
Lillian Doty. Pompon. Shell-pink; early. 3 ft. Oct.
Maduse. Terra-cotta. 2½-3 ft. Oct.
Maid of Kent. Pompon. White, later becoming pinkish. 2½-3 ft. Oct.
Mme. Auguste Nonin. Delicate pink. 2½-3 ft. Sept.-Oct.
Mrs. H. Harrison. Pompon. Pink. 3 ft. Oct.
Normandie. Delicate pink. 1½ ft. Sept.
October Gold. Orange-yellow. 2 ft. Oct.
Ruth Cummings. Reddish bronze. 2½ ft. Sept.-Oct.
Skibo. Pompon. Old-gold-yellow. 1-2 ft. Oct.
Tints of Gold. Yellow. 1-2 ft. Sept.
Yellow Normandie. 2½-3 ft. Oct.

CIMICIFUGA. Acid soil in shade.

- foetida simplex** (Bugbane). Late-blooming; white spikes. 2-3 feet. July. 50 cts. each, \$5 per doz.
racemosa (Cohosh Bugbane). Creamy white. 4-6 ft. July-Sept. 35 cts. each.

CLEMATIS. Ordinary soil in sun.

- heracleaefolia Davidiana** (Tube Clematis). Lavender-blue. 3 ft. Aug.-Sept. 50 cts. each.
integrifolia. Showy blue. 2 ft. July. 50 cts. each.
x orientalis (Oriental Clematis). Yellow. Climbing vine. 50 cts. each. Sold out for season.
paniculata (Sweet Autumn Clematis). White, fragrant flowers. A climbing vine. 50 cts. and \$1 each.
recta. White. 4 to 6 ft. July-Sept. 50 cts. each.
viticella (Italian Clematis). White. 60 cts. each.

CODONOPSIS. Well drained soil in sun.

- *(Glossocomia) clematidaca.** Light blue. 1 ft. 50 cts. each.

CONVALLARIA. Moist soil in light shade.


- *majalis** (Lily-of-the-Valley). White, wax-like-drooping blooms. 9 inches. May-June.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

- COREOPSIS.** Ordinary soil in sun.
lanceolata (Tickseed). Golden yellow. 2 ft. June-Oct.
lanceolata flore-pleno. Semi-double. 2 ft. June-Oct.
35 cts. each.
verticillata (Threadleaf Coreopsis). Small, yellow flowers.
2 ft. July-Aug.
- CORONILLA.** Ordinary soil in sun.
varia (Crown Vetch). Bright pink. 1-2 ft. June-Oct.
- CYCLAMEN.** Leafmold soil in shade.
x**europaeum* (European Cyclamen). Purplish red. 6 in.
Sept.-Oct. Sold out for season.
**Neapolitanum (hederaefolium)*. Red. 6 in. Sept.-Oct.
75 cts. each.
- CYNANCHUM.** Ordinary soil in sun.
acuminatifolium (mosquito 'trap). White. 15 ins. June.
- DAHLIA.** Good roots 25 cts. up, according to the variety.
- DAPHNE.** Moderately rich soil in light shade.
**Cneorum* (Garland Flower). Sweet-scented; bright pink
flowers in May, scattering bloom all summer. A splen-
did rock garden shrub. \$1, \$2, and \$3 each and up.
- DELPHINIUM.** Rich soil in sun.
English Hybrids. Choicest single and double. 4-6 ft.
June-Sept. 50 cts. and \$1 each.
formosum, Belladonna. Sky-blue. 3 ft. June-Oct.
grandiflorum (Siberian Larkspur). Dwarf; blue. 2 ft.
June-Oct.
grandiflorum album. White. 2 ft. June-Oct.
x *Moerheimi*. Best white. Sold out for season.
Wrexham Hybrids. A superb variety in many choice
shades. Each, \$1.00; Doz. \$10.00.
- DESMODIUM.** Well drained soil in sun.
penduliflorum (Pea Shrub; Tick Clover). Rose-purple.
Aug.-Oct. 50 cts. and \$1 each.
- DIANTHUS.** Moderately rich soil in sun.
**Alwoodi, Harold* (Pink Carnation). White; double. 12
in. May-Sept. 35 cts. each.
*—*Jean*. White, with crimson centers. 12 in. May-Sept.
35 cts. each.
*—*Mary*. Pink, maroon center; double. 12 in. May-
Sept. 35 cts. each.
*—*Robert*. Rose, maroon center; single. 12 in. May-
Sept. 35 cts. each.
**barbatus* (Sweet William). Single and double flowers
in most beautiful shades. 18 in. June-July. 20 cts.
each, \$2 per doz.
**caesius* (Cheddar Pink). Very low-growing; pink. 5 in.
May-July. 35 cts. ea.
**carthusianorum* (Carthusian Pink). Red. 15 in. June-
July. 30 cts. each.
**deltoides* (Maiden Pink). Small; pink. 6 in. June-July.
*—*Brilliant*. Brilliant carmine. 6 in. Creeping. June-
July. Each, 30c.
hybridum, Vienna. Perfectly hardy Carnation. 1½ ft.
July.
x *Napoleon III*. Double; dark crimson. 1½ ft. July.
50 cts. each. Sold out.
plumarius (Grass Pink). Brilliant color combination;
fragrant. 1 ft. May-June.
plumarius, Rose de May. Double; pink. 1 ft. May-
June. 35 cts. each.
White Reserve. White; double. 1½ ft. June-July. 35
cts. each.
- DICENTRA.** Ordinary soil in sun or light shade.
**eximia* (Fringed Bleeding-Heart). Rose. 1 ft. All
summer.
**spectabilis* (Bleeding-Heart). Heart-shaped pink flowers.
1-2 ft. May-July. \$1 each.
- DICTAMNUS.** Ordinary soil in sun.
Fraxinella (Gas Plant). Rose-pink. 2-3 ft. June-July.
50 cts. and \$1 each.
fraxinella alba. White. 3 ft. June-July. 50 cts. and
\$1 each.
- DIGITALIS.** Moderately rich soil in sun.
ambigua (Yellow Foxglove). Pale yellow. 2-3 ft. June-
July.
purpurea, Mixed. White, Rose, Lilac, and Purple. 2-3
ft. June-July.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



ERYNGIUM BOURGATI (Page 12)

- DORONICUM.** Ordinary soil in sun.
caucasicum (Caucasian Leopard's Bane). Bright yellow. 2 ft. May-June. 30 cts. each.
magnificum (Sunflower Leopard Bane). 3 ft. May-June. 50 cts. each.
plantagineum excelsum. Brightest yellow. 2 ft. April-May. 30 cts. each.
- DRABA.** Well drained soil in sun.
*x*athoa*. Yellow; low. Sold out for season.
**verna* (Whitlow Grass). Arabis-like white flowers. 4 in. April-May.
- ECHINACEA.** Rich soil in sun.
purpurea (Hedge-hog Coneflower). Reddish purple. 3-4 ft. July-Aug.
- ECHINOPS.** Ordinary soil in sun.
humilis (Globe Thistle). Low; light blue. 3 ft. July-Aug.
Ritro (Steel Globe Thistle). Metallic blue. 3-4 ft. July-Aug.
sphaerocephalus (Common Globe Thistle). Purplish white. 4-5 ft. July-Aug.
- ELSHOLTZIA.** Ordinary soil in sun.
Stauntoni. Lilac-rose flowers. Foliage has a delightful aromatic fragrance. 50 cts. each. Large size, each \$1.00.
- ELYMUS.** Ordinary soil in sun.
canadensis glaucifolius (Wild Rye). Narrow, glaucous foliage. 3 ft. 35 cts. each.
- EPIMEDIUM.** Woodland soil in shade.
**macranthum niveum* (Barrenwort). White. 9 in. May-June. 35 cts. each.
**macranthum roseum*. Red. 9 in. May-June. 30c ea.
**sulphureum*. Pale yellow. 9 in. April-June. 35 cts. ea.
- ERIANTHUS.** Well drained soil in sun.
Ravennae (Ravenna Grass). Resembles the Pampas Grass. 5-7 ft. 50 cts. each.
- ERIGERON.** Ordinary soil in sun.
**alpinus* (Fleabane). Purple-blue. 9 in. June-July. 30 cts. each.
**aurantiacus*. Orange. A showy plant. 9 in. July-Aug.
glaucus. Rosy purple.
speciosus. Purple. Very handsome. 2 ft. June-July.
speciosus grandiflorus (Oregon Fleabane). Dark lilac. 2½ ft. June-July.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



GENTIANA ACAULIS

- ERODIUM.** Well drained soil in sun.
 **Manescavi* (Heron's Bill). Purplish red. 12 in. July. 30 cts. each.
- ERYNGIUM.** Ordinary soil in sun or semi-shade.
amethystinum (Amethyst Eryngo). Amethystine blue. 3-4 ft. June-Sept.
 **Bourgati*. Distinct dwarf blue. 15 in. June-Aug. 40 cts. each.
 x*maritimum*. Glauous blue foliage. Pale blue blooms. 3 ft. July-Aug. Sold out.
Oliverianum. Blue. 2 ft. July-Aug. 50 cts. each.
planum. Blue. 2 ft. July-Sept.
- ERYSIMUM.** Dry soil in sun.
 **pulchellum* (Blister Cress). Bright yellow. 4-6 in. June-July.
 **rupestre* (Asiatic Blister Cress). Deep orange. 8 in. May-June. 30 cts. each.
- EUONYMUS.** Ordinary soil in sun or light shade.
radicans (Winter Creeper). Vine. Dull green leaves. 35 cts. each.
radicans argenteo-variegata. Variegated foliage. 50 cts. and \$1 each.
radicans kewensis (Baby Wintercreeper). 50 cts. each.
radicans vegetus. Glossy foliage. 50 cts. each.
- EUPATORIUM.** Ordinary soil in sun.
coelestinum (Mist Flower). Light blue. Good for cutting. 2 ft. Aug.-Oct.
urticaefolium (ageratoides). (Snow Thoroughwort). White. 4 ft. July-Aug.
- EUPHORBIA.** Ordinary soil in sun.
corollata (Flowering Spurge). Not unlike gypsophila; small white flowers with green eye. 2-3 ft. July.
epithymoides (polychroma). (Cushion Spurge). Chrome-yellow. 2 ft. April-May. 50 cts. each.
- FESTUCA.** Ordinary soil in sun.
 **glauca* (Fescue Grass). Glauous green. 9-12 in.
- FILIPENDULA.** Ordinary soil in sun.
hexapetala flore-pleno (Double Dropwort). White. 1½ ft. May-June.
palmata (Siberian Meadowsweet). Pink. 2 ft. June-July.
rubra venusta (Carmine Meadowsweet). 4 ft. June. 35 cts. each.
Ulmaria flore-pleno (Double European Meadowsweet). White. 4-5 ft. July-Aug.
- GAILLARDIA.** Moderately rich soil in sun.
aristata (grandiflora). (Blanket Flower). Mixed colors. 1-2 ft. All summer.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



EUPHORBIA

- GALEGA.** Ordinary soil in sun.
officinalis (Goat's Rue). White. 3-4 ft. July.
officinalis Hartlandi. Pale blue. 3-4 ft. July.
- GALTONIA.** Ordinary soil in sun.
candicans (Summer Hyacinth). Bell-shaped white flowers. 3 ft. Aug.-Sept. 20 cts. each, \$2 per doz.
- GAULTHERIA.** Acid soil in shade.
**procumbens* (Wintergreen). Evergreen. White flowers, followed by red berries. 3-6 in. May-June. 35 cts. each.
- GAURA.** Ordinary soil in sun.
Lindheimeri. White, butterfly-like flowers. 3 ft. June to fall.
- GENTIANA.** Gritty peaty soil in sun or light shade.
**acaulis* (Stemless Gentian). Blue. \$1 each.
Andrewsi (Closed Gentian). Deep blue. 30 cts. each. 1-2 ft. Aug.-Sept.
**cruciata* (Cross Gentian). Dark blue. \$1 each.
**Preymiana* (Freyman's Gentian). Dark blue. \$1 each.
**Przewalski*. Brilliant blue. 50 cts. each. July. 6 in.
**septemfida cordifolia*. Blue. \$1 each.
*x*tibetica*. White. Sold out for season.
**Walujewi* (Walujew's Gentian). White, dotted with blue. 15 in. 60 cts. each.
- GERANIUM.** Well drained soil in sun.
nepalense. Deep pink. Large flowers. 1½ ft.
**sanguineum*. Bright crimson. 2 ft. May-Aug.
**—album* (Crane's Bill). White. 1 ft. May-July.
**—lancastriensis*. Light pink. 6 in. July-Aug. 30 cts. each.
- GERARDIA.** Ordinary soil in sun or light shade.
grandiflora. Pretty pink, like small foxgloves. 18 in. Summer. 30c each.
- GERBERA.** Ordinary soil in sun.
Jamesoni (Transvaal Daisy). Beautiful colors or rich texture. 2½ ft. Aug.-Sept. 75 cts. each. Protection.
- GEUM.** Ordinary soil in sun.
atrosanguineum (Avens). Blood-red. 1-2 ft. May-June.
bulgaricum (Bulgarian Avens). Showy red-orange. 1 ft. July-Aug. 30 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

GEUM (Cont'd)

- chiloense**, Mrs. Bradshaw. Orange-red; half-double. 2 ft. June-Sept. 35 cts. each, \$3.50 per doz.
Heldreichi. Orange. 1½ ft. May-July.
Lady Stratheden. New. Double; yellow. 2 ft. June-Sept. 40 cts. each.

GILLENIA. Ordinary soil in sun.

- trifoliata** (Bowman's Root). White, tinged pink. 3 ft. May-July. 35c each.

GLADIOLUS. 40 cts. per doz. and up, according to variety and size of bulbs.

GLAUCIUM *Fisheri* (Horned Poppy). Yellow. 2 ft. Summer. White foliage, attractive, distinct. 30 cts. each.

GLOBULARIA. Ordinary soil in sun.

- *trichosantha** (Globe Daisy). Blue flowers in globular heads. 6 in. May-June. 30 cts. each.

GRASSES. For the collection see general arrangement in alphabetical order.

GYNERIUM. Rich soil in sun.

- argenteum** (Pampas Grass). Very attractive. 6 ft. Aug.-Oct. \$1 each.

GYPSOPHILA. Ordinary soil in sun.

- paniculata** (Baby's Breath). Plant of gauze-like appearance. 2-3 ft. June-July.
paniculata flore-pleno. Little, double rosette-like flowers. 2-3 ft. July-Aug. \$1 each.
Rokejeka. Pink. July-Aug. 3 ft. 30 cts. each.
paniculata flore-pleno, **Bristol Fairy**. White; extra double. Very choice. \$1.00 each.
Ehrlei. White, extra double, blooms all season. 2-3 ft. \$1.00 each.
***repens** (Creeping Baby's Breath). White. 6 in. June-July. 30 cts. each.
***repens rosea** (Creeping Baby's Breath). Low; pink. 6 in. June-July.

HEDERA. Cool soil in semi-shade.

- helix** (English Ivy). Effective for covering walls, etc. 25 cts. up, according to sizes.

HELENIUM. Ordinary soil in sun.

- autumnale** (Sneezeweed). Golden yellow. 4-6 ft. Aug.-Sept.
autumnale rubrum. Terra-cotta. 4 ft. Aug.-Sept.
Bolanderi. Yellow, dark disk. 2½-3 ft. July-Sept. 30 cts. each.
Hoopesi. Orange-yellow. 3 ft. May-Aug.

HELIANTHEMUM. Well drained soil in sun.

- *Chamaecistus grandiflorum** (Sun Rose). Single and double flowers, in white, pink, red, and yellow. 6-8 in. June-July. 30 cts. each.

HELIANTHUS. Ordinary soil in sun.

- Miss Mellish** (Sunflower). Rich yellow. 6 ft. Sept.
multiflorus flore-pleno. Double; yellow with orange sheen. 4-5 ft. Aug.-Sept.
orgyalis. Graceful flowers of golden yellow. 6-8 ft. Sept.
Soleil d'Or. Golden yellow. 4-5 ft. Aug.-Sept.

HELIOPSIS. Ordinary soil in sun.

- helianthoides Pitcheriana** (Pitcher Heliopsis). Golden yellow. 3-4 ft. July-Sept.
scabra zinniaeflora (Zinnia Heliopsis). Semi-double; yellow. 2-3 ft. July-Sept.

HELLEBORUS. Rich soil in semi-shade.

- *niger** (Christmas Rose). White; leaves evergreen. 1 ft. Feb.-March. \$1 each.

HEMEROCALLIS. Ordinary soil in sun.

- flava** (Lemon Day Lily). Lemon-yellow; fragrant. 3 ft. May.
fulva (Tawny Day Lily). For naturalizing. 2-3 ft. July.
fulva Kwanso flore-pleno. Orange-red; semi-double. 2-3 ft. July-Aug.
luteola (Golden Day Lily). Yellow. 4 ft. July.
Middendorffi. Golden yellow. 2-3 ft. June-July.
Orange Man. Good. 2-3 ft. July.
Thumbergi. Yellow. 3 ft. Summer.
Any of above 30 cts. each

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

HERNIARIA. Ordinary soil in sun.

***glabra** (Burstwort). Tiny creeper, foliage turns red in winter. 1 inch.

HEPATICA. Acid soil in shade.

***triloba** (Roundlobe Hepatica). Light blue. 6 in. April-May. 30 cts. each.

HESPERIS. Ordinary soil in sun.

matronalis (Dame's Rocket). White or pink. 2-3 ft. June-July.

nivea. Very rare and choice. White. 15 in. June. 40 cts. each.

HEUCHERA. Ordinary soil in sun.

americana (American Alum Root). Foliage ornamental. 1½-2 ft. July.

brizoides (Pinkbells). Carmine-rose. 1½ ft. June-Aug.

***sanguinea** (Coralbells). Bright coral-red. 15 in. June-Sept. 30 cts. each.

***sanguinea alba.** Creamy white. 15 in. June-Sept.

HIBISCUS. Ordinary soil in sun or light shade.

grandiflorus (Great Rose Mallow). Shades of white, pink, red, and crimson. 4-6 ft. Aug.-Sept.

Moscheutos (Common Rose Mallow). Light rose. 5-6 ft. Aug.-Sept.

HOSTA (Funkia). Ordinary soil in sun.

caerulea (Blue Plaintain Lily). Light blue. Leaves have bluish sheen. 1-2 ft. July-Aug.

Fortunei. Flowers mauve; metallic blue foliage. 1 ft. July-Aug.

lancifolia. Lilac; narrow green leaves. 2 ft. Aug.

—**albo-marginata.** Leaves margined white. 1-2 ft.

—**aureo-maculata.** Yellow marking. 1-2 ft.

—**undulata.** White-and-green variegated foliage. 1-2 ft.

plantaginea (White Plaintain Lily). White, scented flowers. 2 ft. 30 cts. each, \$3 per doz.

HYDRANGEA. Ordinary soil in sun.

hortensis. Different sizes in the best varieties, 50 cts. to \$5 each, and higher, according to size.

HYPERICUM. Well drained soil in sun.

Moserianum (Gold Flower). Golden yellow. 1½ ft. June-Sept. 50 cents and \$1 each.

HYSSOPUS. Ordinary soil in sun.

officinalis (Hyssop). Low green bush; scented leaves. 1-2 ft. June-Aug.

officinalis rosea. Rose-pink. 1-2 ft. June-Aug. 30 cts. each.

IBERIS. Ordinary soil in sun.

***gibraltarica** (Gibraltar Candytuft). Delicate lilac. 1 ft. May.

***gibraltarica, Snowball.** Big; white. 1 ft. May-June. 30 cts. each.

***sempervirens.** Pure white. 10 in. April-May.

INCARVILLEA. Rich soil in semi-shade.

Delavayi (Hardy Gloxinia). Rose-color. 1½ ft. June. 40 cts. each, \$4 per doz.

grandiflora. Deeper pink than above. 1 ft. June. 40 cts. each, \$4 per doz.

INULA. Ordinary soil in sun.

***ensifolia** (Swordleaf Inula). Yellow. 8 in. July.

glandulosa. Large; bright yellow. 3-4 ft. July-Aug.

***Royleana** (Blackbud Inula). Showy; orange-yellow. Rare and choice. 15 in. July. 35 cts. each, \$3.50 per doz.

IRIS GERMANICA

(Germanica or Flag Iris)

Our collection of over 50 varieties contains the most attractive and interesting Irises that flower in May and June.

Named varieties, 25 cts. each, \$2.50 per doz.;

Mixed, \$1.50 per doz. except where otherwise noted.

S., standards; F., falls.

Admiral Togo. S. white; F. and S. lightly bordered purple. 30 cts. each.

Albert Victor. S. soft blue; F. soft lavender. 30 cts. each.

Alcazar. S. light bluish violet; F. purple with bronze. 75 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

IRIS (Cont'd.)

- Archeveque.** Deep violet-purple. 60 cts. each.
Asiatica Trojana. S. pale blue; F. violet. 30 cts. each.
Aufernich. F. dark, smoky reddish purple.
Caprice. Rosy red. 30 cts. each.
Celestine. Clear pale blue.
Cherion. Lilac-mauve.
Comte de Claire. Deep violet, margined white.
C. Wedge. S. gray; F. plum, edged with white. 30 cts. each.
Fairy. S. and F. white. 30 cts. each.
Flavescens. Pale yellow.
Gertrude. Violet-blue. 40 cts. each.
Honorable. S. golden yellow; F. mahogany-brown.
Isoline. S. silvery lilac; F. mauve. 40 cts. each.
Johan de Witte (Amabilis.) S. Pale lilac; F. velvety crimson.
Juniata. Clear blue; fragrant. 40 cts. each.
La Tendresse. Delicate lavender and lilac. 30 cts. each.
Lohengrin. Delicate lavender and lilac.
Lord Salisbury. S. amber-white; F. dark violet-purple. 35 cts. each.
Loreley. S. light yellow; F. ultramarine-blue. 40 cts. each.
Loyalty. Lavender-purple. 40 cts. each.
Mandaliscae. Rich lavender-purple. 30 cts. each.
Minnehaha. Cream-white. 75 cts. each.
Mme. Chereau. Pure white. 50 cts. each.
Monsignor. S. violet; F. purple-crimson. 40 cts. each.
Nibelungen. S. olive-green; F. yellow, purple, and white.
Pallida Dalmatica. Lavender, 30 cts. each.
Pallida odoratissima (speciosa). S. and F. dark lavender. 30 cts. each.
Parisiensis. Fine blue. 30 cts. each.
Perfection. Light blue. 60 cts. each.
Phoenix. Light lavender, yellow markings.
Prestige. Light lavender. 40 cts. each.
Princess Victoria Louise. S. yellow; F. violet-red. 40 cts. each.



An established individual clump
of Japanese Irises

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



JAPANESE IRISES

IRISES (Cont'd)

- Purple King.** Deep purple. 30 cts. each.
Quaker Lady. S. smoky lavender; F. blue and gold. 40 cts. each.
Queen Alexandra. S. fawn; lilac, with bronze. 40 cts. each.
Queen of May. Soft rosy, almost pink.
Radiance. S. silvery mauve; F. velvety purple. 40 cts. each.
Rhein Nixe. S. pure white; F. deep blue. 50 cts. each.
Sambucina. Rich purple. Early.
Spectabile. S. and F. deep purple.
Sherwin-Wright. Golden yellow. 40 cts. each.
The Bride. White, shaded lilac.
Trautlieb. Pinkish. 30 cts. each.
White Knight. Clear white. \$1 each.
Wyomissing. S. bluish-white; F. deeper, to flesh. 75 cts. each.
***Iris pumila formosa.** Royal blue and purple.
***Bride.** Large; white. 30 cts. each.
***Iutea.** Yellow.

JAPANESE IRISES

IRIS KAEMPFERI

Gorgeous iris which embrace a host of delightful shades and help to prolong the Iris season. They follow the German iris in the period of bloom.

Our collection consists of nearly 100 named varieties, including many of the most valuable ones.

35 cts. each, \$3.50 per doz., except where otherwise noted.

- Airship.** Double, Sky blue, white veined. \$1 each.
Agnes Reed. Dark violet with light shadings. 50 cts. each.
Amethyst. Exquisite lavender shade. \$1 each.
Apollo. White, with pink center. 50 cts. each.
Azure. Mauve-blue. \$1 each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

JAPANESE IRISES (Cont'd)

- Bandai-no-Nami.** White. 50 cts. each.
Bashu-no-Ten. Gray, veined blue. 75 cts. each.
Betty Jean Childs. White, splashed with purple. 50 cts. each.
Blue Danube. Blue-true. \$1.50 each.
Blue Flag. Indigo-blue.
Bride. Maroon, veined white. 50 cts. each.
Catherine Parry. Indigo blue, prettily marked. 60 cts. each.
Cilia. Double. Pink, spotted and sprinkled. 75 cts. each.
Clarice Childs. Violet red. 50 cts. each.
x Child's Beauty. Creamy yellow. Sold out.
Choseiden. Light purple.
Daisy Herrington, 3 petals, light lavender. 60 cts. each.
Datedogu. Violet-purple. 40 cts. each.
Doris Childs. 6 petals, pearl white, veined rosy-plum. 60 cts. each.
Dominator. Indigo-blue. 75 cts. each.
Eleanor Parry. 6 petals, claret red. 75 cts. each.
Fascination. Lavender. 75 cts. each.
Fanny Hamlet Childs. 6 petals, violet purple, mottled white. 50 cts. each.
Frances E. Cleveland. 6 petals, large pearl color. 75 cts. each.
Gekka-no-Nami. Double. White, often lavender sheen. 60 cts. each.
Gold Bound. Pure white. 50 cts. each.
Gomo-no-Umi. Double. Clear white. 40 cts. each.
Granite. White, penciled and veined with rose-purple. 50 cts. each.
Gypsy. Deep pink. \$1 each.
Hano-no-Mio. Mahogany-red; late. 40 cts. each.
Ho-o-jo. Purple, mottled.
Hosogawa. Purple with white veinings.
Helen von Siebold. Reddish, veined white.
Helen Wells. Single. Amethyst-violet. \$1 each.
Indo. Dark blue. 75 cts. each.
Iso-no-Nami. Soft blue, sprinkled with lavender. 75 cts. each.
Jeanette Parry. 3 petals, white with bluish violet lines. 50 cts. each.
Josephine Haywood. 3 petals. Deep blue, with purplish sheen. 50 cts. each.
Kagarabi. Single. Deep mahogany-red. 50 cts. each.
Koki-no-Iro. Purple.
Kokirin. White, heavily veined. Late. 40 cts. each.
Komata. Sky-blue, veined and splashed white.
Kumo-no-Obi. Lavender, white lines.
Kumo-no-Shi. White, edged reddish purple.
Kumo-no-Ue. Blue-lavender, light sheen.
Lavender Queen. Single. Lavender. 75 cts. each.
Mahogany. Mahogany-red. 50 cts. each.
Margaret S. Hendrickson. 9 petals. Soft bluish from white center. \$1 each.
Momiji-no-Taki. Silvery gray, splashed purplish rose. \$1 each.
Moro-no-Suki. White with purplish sheen. 50 cts. each.
Mt. Fell. Double. White veined. Late. \$1 each.
Mt. Hood. Double. Purple with blue, toward center orange. \$1 each.
Nagano. Violet-purple.
Navarre. Purplish blue, veined darker, white edge. Showy. \$1.50 each.
Neptune. Single. Mahogany-red.
Nightfall. Single. Deep black-blue. Wavy. \$1.50 each.
Norma. Exquisite silky lavender-pink. 75 cts. each.
Old Rose. A self-color of old rose. 60 cts. each.
Ojino Hotaru. Enormous, bright purple flowers with white sheen; extra fine. Latest. \$2 each.
Orion. White with broad border of old-rose.
Osho-Kun. Tyrian-blue.
Oyado. Darkest maroon. Low-growing. 60 cts. each.
Painted Lady. White, suffused and veined pink. \$1 ea.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

JAPANESE IRISES (Cont'd.)

- Pink Progress.** Ashy gray-lavender. \$1 each.
Porcelain Sceptre. White, suffused blue, center pink. 75 cts. each.
Prince C. de Rohan. Deepest dark purple. 75 cts. each.
Purple and Gold. Violet-purple.
Pyramid. Violet-purple, veined white.
Red Riding Hood. Reddish, wavy. 60 cts. each.
Rinho. Double. Purple.
Rose H. Scheepers. 6 petals. Mauve gray, with darker shadings. 75 cts. each.
Sano Watashi. Double. White. 40 cts. each.
Seco-no-Nami. Single. Reddish purple, sprinkled white. Very early.
Shadow. Reddish purple. 75 cts. each.
Shimoyo-no-Tsuki. White, speckled violet.
Shirataki. Silvery white. Late. 40 cts. each.
Shiunryo. Grayish white.
Shokko-Nishiki. Lilac on white. 40 cts. each.
Shuchuka. Crimson-purple.
Shufu-Ruku. Pinkish; showy coloring. 75 cts. each.
Spotted Beauty. White, spotted with rose-lilac. 60 cts. each.
Sufo-no-Koi. Speckled blue and white. 50 cts. each.
Taiheiraku. Double. Vinous purple.
Templeton. Light violet, mottled pink and white. 50 cts. each.
Tsuru-no-Kegoromo. White. 50 cts. each.
T. S. Ware. Deep garnet, veined white.
Turban. Blue and white. 75 cts. each.
Uchin. Double. Aniline-blue, veined white. 75 cts. ea.
Vase Banri. White, veined blue; blue standards, edged.
Velvet. Velvety mahogany. 75 cts. each.
Victor. White, veined purple, pink center. 60 cts. each.
Violet Herrington. 6 petals. Violet, white sheen, tufted center, beautiful. \$1 each.
Yedo-Jiman. Royal blue. \$1 each.
Yomo-zakura. Pale lavender with rosy markings. 75 cts. each.
Zamo-no-Mori. White shaded purple. \$1 each.

IRIS, Various.

- germanica foliis variegatis.** White-striped foliage. Flowers light lavender. 75 cts. each.
ochroleuca. Yellow.
sibirica. Rich blue.
sibirica alba. White.

ISATIS. Ordinary soil in sun or light shade.

- glauca** (Dyer's Woad). Yellow. 6 ft. June-July.

KNIPHOFIA (Tritoma). Ordinary soil in sun.

- mirabilis albida** (Torch Lily). Cream-white. 50 cts. each.
Pfitzeri (Everblooming Flame Flower). Red and yellow. 2-3 ft. Aug.-Oct. 40 cts. each, \$4 per doz.
Express. Early-flowering; light yellow, later redish. 4 to 5 ft. June. 40 cts. each.

- Uvaria (aloides).** (Red-hot Poker). Bright red and yellow. 3½ ft. Sept.-Oct. Late. 30 cts. each. \$3 per doz.

- Tucki.** Light orange yellow. 3-4 ft. Early June. 40 cts. each.


LAMIUM Sandy soil in light shade.

- *maculatum.** A tufty, low plant with variegated foliage. 30 cts. each.
***Maculatum Album.** Flowers white. 30 cts. each.

LATHYRUS. Ordinary soil in sun.

- latifolius** (Everlasting Pea). Rose. Climber.
—albus. White. Climber.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



LILIUM PARDALINUM

- LA VENDULA.** Light soil in sun or semi-shade.
vera (Lavender). Aromatic foliage. Lavender blue flowers. 1½ ft. July-Sept.
Vera (Munstead Strain). Bushy, heavy summer bloomer. 1 ft. 40 cts. each.
- LEONTOPODIUM.** Well drained soil in sun.
***alpinum** (Edelweiss). Gray foliage and flattened white flowers. 5 in. June-July.
***sibiricum.** White, large. 6 in. June-July.
- LIATRIS.** Ordinary soil in sun.
pycnostachya (Gayfeather). Light purple. 4-5 ft. July-August.
- LIGULARIA (Senecio).** Ordinary soil in light shade.
clivorum, Orange Queen. Orange. 4 ft. June-Aug. 35 cts. each.
Wilsoniana. Yellow to orange. 4 ft. July-Aug. 50 cts. each.

HARDY LILIES

- auratum macranthum** (Gold Banded Lily). Yellow ray on white; spotted. 3-4 ft. 50c and 75c each.
- Batemanniae** (Batemann Lily). Clear apricot. 2 ft. July-Aug. 50 cts.
- canadense** (Canadian Lily). Rich orange, spotted. June-July. 2 ft. 40 cts. each.
- candidum** (Madonna Lily). White. Fragrant and hardy. 2-3 ft. June-July. 60 cts. each, \$6 per doz.
- Hanski.** Orange yellow. 3 ft. \$1.00 each.
- Henryi.** Golden yellow. 4-5 ft. June-July. \$1.00 each.
- longiflorum.** Long white flower; scented. 1-2 ft. July-Aug. 50 cts. each.
- pardalinum** (Panther lily). Orange, spotted crimson. 50 cts. each.
- regale (myriophyllum).** (Royal Lily). Fragrant; white, canary-yellow at the center. 1-2 ft. June-July. 60 cts. to \$1.00 each.
- speciosum rubrum.** White, spotted with rosy crimson. 2 ft. Aug.-Sept. 40 cts. each and up.
- superbum.** Orange red, spotted purple. 2½ ft. June. 40 cts. each.
- tigrinum** (Tiger Lily). Orange, spotted purplish black. 3-4 ft. July-Aug.
- tigrinum fl. plena.** 30 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

- LIMONIUM.** Ordinary soil in sun.
latifolium (Bigleaf Sea Lavender). Candelabra-like panicles of minute, purplish flowers. 2 ft. July-Sept.
- LINARIA.** Ordinary soil in sun or semi-shade.
***Cymbalaria** (Kenilworth Ivy). Pinkish lilac. Trailer. June-Aug.
macedonica. Yellow. 4 ft. July-Sept. 35 cts. each.
- LINUM.** Ordinary soil in sun.
flavum (Golden Flax). Yellow. 1 ft. June-July. 30 cts. each.
perenne (Perennial Flax). Blue. 1½ ft. May-Aug.
perenne album. White. 1½ ft. May-Aug.
- LITHOSPERMUM.** Well drained soil in sun or light shade.
***prostratum** (Heavenly Blue). A prostrate plant with gentian blue flowers all summer. 75 cts. each.
- LOBELIA.** Moist soil in semi-shade.
cardinalis (Cardinal Flower). Cardinal-red. 3 ft. July-Aug.
siphilitica (Large Blue Lobelia). Blue. 3 ft. Aug-Sept.
- LUNARIA.** Ordinary soil in sun.
annua (biennis) (Honesty). Sweet-scented; purplish. 2½ ft. June-July.
- LUPINUS.** Sandy soil in light shade or sun.
polyphyllus (Washington Lupine). Blue, 3 ft. June-July.
albiflorus. White. 3 ft. June-July. 30 cts. each.
—**Moerheimi** (Pink Lupine). Light and dark rose. 3 ft. June-July. 35 cts. each, \$3.50 per doz.
Harkness Hybrids. Assorted colors. 3 ft. June-July. 30 cts. each.
- LYCHNIS.** Ordinary soil in sun.
chalcedonia (Maltese Cross). Scarlet 2 ft. June-July.
—**alba.** White. 2 ft. June-July.
coronaria (Agrostemma coronaria.) (Mullein Pink). Silver foliage; crimson flowers. 2 ft. June-July.
Flos-cuculi (Ragged Robin). Pink. 1-2 ft. May-Aug.
Haageana. Orange-scarlet and other shades. 1 ft. May-June.
Viscaria splendens flore-pleno (Double Rose-Pink Champion). Double; crimson. 1 ft. May-June.
- LYCORIS.** Ordinary soil in sun.
squamigera (Amaryllis Halli). (Hardy Cluster Amaryllis). Lily-shaped, delicate lilac-pink flowers. 2 ft. July. \$1 each.
- LYSIMACHIA.** Ordinary soil in sun.
barystachys (Loosestrife). White. 15 in. Aug.
punctata (Spotted Loosestrife). Yellow. 2-3 ft. July-Aug.
- LYTHRUM.** Ordinary soil in sun.
Salicaria roseum (Rose Loosestrife). Rose. 2-3 ft. July-Aug.
- MALVA.** Ordinary soil in sun.
Alcea. Pink flowers. 2 ft. July-Sept.
crispa (Early Mallow). Pink and white. 4 ft. June-July.
moschata (Musk Mallow). Sweet-scented; rose-pink. 4-5 ft. June-Sept.
- MATRICARIA.** Ordinary soil in sun.
eximia plena (Golden Ball). Yellow; double.
inodora flore-pleno (Scentless False Chamomile). Double white. 2 ft. June-Sept.
- MECONOPSIS.** Rich soil in semi-shade.
cambrica (Welsh Poppy). Yellow. 1 ft. June-Aug. 60 cts. each.
- MENTHA.** Ordinary soil in sun.
piperita (Mint). Used in the kitchen.
rotundifolia (Apple mint). Very strong grower.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

- MERTENSIA.** Leaf mold soil in shade.
virginica (Bluebells). Changeable blue. 1½ ft. May-June. 30 cts. each.
- MISCANTHUS.** Ordinary soil in sun.
sinensis (Eulalia). Foliage bright green. 4-8 ft. 50 cts. each.
—*gracillimus*. Narrow foliage. 3-4 ft. 50 cts. each.
—*variegatus*. Leaf-blades striped white, green, and often pink. 4-6 ft. \$1 each.
—*zebrinus* (Zebra Grass). Broad yellow bands across the leaf. 4-5 ft. 50 cts. each.
- MONARDA.** Ordinary soil in sun.
didyma (Oswego Tea). Scarlet, scented foliage. 1½ ft. July-Aug.
—*alba*. White. 1½ ft. July-Aug.
—*rosea*. Rose. 1½ ft. July-Aug.
fistulosa (Wild Bergamot). Purple 2-3 ft. July-Aug.
- MYOSOTIS.** Ordinary soil in shade.
**dissitiflora* (Swiss Forget-me-not). Pale blue. 6 in. May-July. 30 cts. each.
**scorpioides (palustris)*. True Forget-me-not. 8 in. All summer.
—**Ruth Fischer*. Darker blue. 6 in. Summer. 40 cts. each.
- NEPETA.** Light soil in sun or light shade.
macrantha (Large-flowering Nepeta). Blue. 2 ft. July-Aug. 30 cts. each.
**Mussini*. Mauve-blue. 1 ft. July-Sept.
- NIEREMBERGIA.** Ordinary soil in sun.
**rivularis* (White Cup). White. 5 in. June-July.
- OENOTHERA.** Ordinary soil in sun.
fruticosa (Common Sundrops). Rich yellow. 2 ft. June-Aug.
**missouriensis (macrocarpa)*. Large; light yellow. 10 in. June-Aug. 35 cts. each.
speciosa. White. 1½ ft. Aug.
Youngii. Bright yellow. 2 ft. June-Aug.
- OMPHALODES.** Rich soil in shade.
longiflora (Navelwort). Blue. 35 cts. each.
- OPUNTIA.** Dry soil in sun.
vulgaris (Prickly Pear). Yellow flower cactus. 30 cts. each.
- PACHYSANDRA.** Ordinary soil in shade or sun.
terminalis (Japanese Pachysandra). Trailing plant. Glossy green foliage. 8 in.
—*variegata*. Variegated foliage. 8 in.

PAEONIA

We offer a large selection of the choicest varieties of these lovely flowers.

Prices, divided roots, strong plants, 50 cts. up, according to the variety. Heavy clumps according to size and variety, except where otherwise noted.

- Abobra*. Single; wild rose color. 75 cts. each.
Alba Superba. Creamy white, center rose.
Albatre. Large; creamy white; very free. Late.
Albert Crousse. Shell pink. \$1.00 each.
Ambrose Verschaffelt. Dazzling red.
Anemone flore-pleno. Tyrian-rose.
Antoine Poiteau.
Avalanche. Ivory-white. \$1 each.
Bicolor Lemoine.
Baroness Schroeder. White. \$2 each.
Boadica. Yellowish white.
Boule de Neige. White.
Canari. White, yellow center.
Charlemagne. Lilac-white with bluish center; fragrant.
Clare Dubois. Satiny pink. \$1.50 each.
Coquelin. Rose-pink. 60 cts. each.
Delachei. Dark red.
Dorchester. Hydrangea-pink, late. 75 cts. each.
Doyen de Enkhuizen.
Duchesse de Nemours. White. 75 cts. each.
Eduis Superba. Deep rose-pink. 60 cts. each.
Elegans. Rose to white.
Eugene Bigot. Brilliant crimson. Late. \$2 each.
Felix Crousse. Ruby-red. \$1 each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HARDY PERENNIALS—ROCK PLANTS

PAEONIES—(Cont'd)

- Festiva Alba.** White.
Festiva Maxima. Best white.
Germaine Bigot. Cameo-pink. \$1 each.
Golden Harvest. Nearest to yellow.
Goliath. Single; dazzling red.
Hermes. Single; maroon-red.
Jeanne d'Arc. Pale lilac-rose; fragrant.
Karl Rosenfield. Brilliant crimson. \$2 each.
Lady Bromwell. Pink.
Lady Lillian Ogle. White. \$1.50 each.
Lee's Grandiflora. Rosy red.
Livingstone. Lilac rose, late. \$1.00 each.
L'Illustration. Light rose.
L'Indispensable. Creamy white. Shaded deep pink. 75 cts. each.
Louis Van Houtte. Carmine-rose.
Marie Jacquin. Flesh-white. \$1 each.
Marie Stuart. Clear rose, white center.
Mireille. Milky white. Late. 75 cts. each.
Mme. Breon. White, with shell-pink.
Mme. Calot. Hydrangea-pink, early. 75 cts. each.
Mme. de Verneville. Sulphur-white.
Mme. Forel. Violet-rose.
Mme. Jules Elie. Violet-rose. \$1 each.
Md'lle Desbuisson. Glossy pink. 60 cts. each.
Modele de Perfection. Rose pink, late. \$1.00 each.
Mons. Dupont. Ivory-white. Late. \$1.50 each.
officinalis albo-plena mutabilis. White, later slightly pinkish. \$1.50 each.
officinalis roseo-plena. Pink. \$2 each.
officinalis rubro-plena. Crimson. \$1 each.
Primevere. Creamy yellow. \$4 each.
Reine Hortense. Old rose. \$1.50 each.
Rose d'Amour. Hydrangea-pink.
Rothschild. Pink.
R. P. Whitfield. Flesh. Very late. \$1 each.
Rubra Triumphans. Bright carmine.
Sarah Bernhardt. Apple blossom-pink. Strong grower. \$1.50 each.
Solfatare. Sulphury yellow to creamy white.
Souv. de l'exposition Universelle. Silvery rose. 75c each.
Suzette. Rose-pink. \$2 each.
Thorbecki. Reddish pink.
Welcome Guest. Silvery pink. \$1.00 each.
Zoe Calot. Rose color.
- PAPAVER.** Well drained soil in sun.
***alpinum** (Alpine Poppy). White. 8 in. June-July. 35 cts. each.
rupifragum. Salmon-red flowers. 30 cts. each.
orientale (Oriental Poppy). Orange-scarlet. 2-3 ft. June-July.
Duke of Teck. Orange red. 2-3 ft. June-July. 40 cts. each.
Gerald Perry. Apricot-orange. 2-3 ft. June-July. 40 cts. each.
Goliath. Enormous rose-dorée. 2-3 ft. June-July. 40 cts. each.
Grand Mogul. Rich red. 50 cts. each.
Joyce. Cerise; distinct. 2-3 ft. June-July. 35 cts. each.
Lord Lambourne. Fringed orange. 2-3 ft. June-July. 50 cts. each.
Mahogany. Mahogany-maroon. 2-3 ft. June-July. 50 cts. each.
Mrs. Perry. Salmon pink. 2-3 ft. June-July. 40 cts. each.
Olympia. Scarlet-red; semi double. 50 cts. each.
Oriflamme. Rich orange-scarlet. 40 cts. each.
Perry's White. Satiny white with a crimson-maroon blotch. 2-3 ft. June-July. 60 cts. each.
Princess Victoria Louise. Light pink. 2-3 ft. June-July. 50 cts. each.
Royal Scarlet. Deep scarlet. 50 cts. each.
- PENNISETUM.** Ordinary soil in sun.
alopecuroides (japonicum). (Fountain Grass.) 3 ft. Narrow foliage; bronze-purple, cylindrical flower-heads.
- PENTSTEMON.** Light soil in sun.
acuminatus (Stiff Pentstemon). Violet-blue. 2-3 ft. 35 cts. each.
diffusus (Bushy Pentstemon). Violet-blue. 2 ft. June-July.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

PENTSTEMON (Cont'd)

- x gordonii splendens*. Dark blue. 2½ ft. July. 50 cts. each.
- grandiflorus*. Metallic blue foliage; purple flowers. 3 ft. July. 30 cts. each.
- hirsutus (pubescens)*. (Eastern Pentstemon). Rosy purple. 15 in. July.
- laevigatus Digitalis* (Foxglove Pentstemon). Purplish white. 2½ ft. July.
- **Ratani Minor*. 4 in., lavender blue, good for rockeries. 35 cts. each.
- Torreyi (Chelone barbata)*. Scarlet. 3 ft. June-July.
- PHALARIS**. Ordinary soil in sun.
- arundinacea variegata* (Ribbon Grass). Variegated foliage.
- PHLOMIS**. Ordinary soil in sun.
- tuberosa* (Jerusalem Sage). Purple. 2½ ft. June-Aug.
- viscosa (Russeliana)*. Yellow. 3 ft. June-Aug.

PHLOX


- *—*Laphami*. Lavender-trusses, 1 to 2 ft. April-May.
- **amoena*. Bright pink. 4-6 in. April-May.
- **divaricata (canadensis)*. Fragrant; lavender. 10 in. May. 30 cts. each.
- *—*alba*. White. 10 in. May.
- *—*alba grandiflora*. White variety; valuable. 12 in. May. 40 cts. each.
- glaberrima suffruticosa, Alfa*. Pink. 3 ft. April-May. 35 cts. each.
- Dr. Hornby*. White, with pink, crimson center. 2 ft. April-May. 35 cts. each.
- Indian Chief*. Lavender sheen and big purplish eye. 2 ft. April-May.
- Miss Lingard*. Glossy foliage. White. April-May. 35 cts. each.



Papaver, Lord Lambourne (Page 23)

- **ovata (carolina)*. (Mountain Phlox). Reddish pink. 1 ft. June-July.
- paniculata, Astrid*. Clear red.
- Baron von Dedem*. Cochineal-red.
- B. Comte*. Satiny amaranth. 40 cts. each.
- caerulea nana*. Blue.
- Commander*. Crimson, red eye, does not fade. 50 cts. each.
- Coquelicot*. Orange-scarlet. 50 cts. each. Showy.
- Debs*. Crimson. Showy. 50 cts. each.
- Elizabeth Campbell*. Light salmon-pink. 50 cts. each.
- Eringe*. Light blue.
- Europe*. White with crimson-carmine eye. 30c each.
- Frau Anton Buchner*. White.
- General Van Heutz*. Fiery salmon-red.
- Goliath*. Deep pink, late. 30 cts. each.
- Gruppenkoenigin*. Pink eye. 30 cts. each.
- Independence*. White.
- Iris*. Purple. 40 cts. each.
- Isabey*. Salmon-red.
- Jules Sandow*. Rose pink. 40 cts. each.
- Johnson's Favorite*. Salmon. 50 cts. each.
- Josephine Gerbeaux*. White, cherry-red eye.
- Lumineux*. Carmine and rose.
- Maid Marian*. Best lavender. 35 cts. each.
- Mme. Pape Carpentier*. White.
- Mrs. M. von Hoboken*. Soft pink; large. 40 cts. each.
- Mrs. W. Jenkins*. White.
- Peachblossom*. Beautiful blush pink. 35 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



PHYSALIS FRANCHETI

PHLOX (Cont'd.)

- R. P. Struthers.** Brilliant rosy red.
- Special French.** Peculiar shade of pink.
- Thor.** Rich salmon-pink. 30 cts. each.
- Vidar.** Bright reddish violet, white center. 30c each.
- W. C. Egan.** Soft pink. 30 cts. each.
- ***subulata alba** (Moss Phlox). White.
- ***lilacina** (Moss Phlox). Clear lilac.
- *—**rosea** (Moss Phlox). Pinkish red.
- Subulata "Vivid."** Deep rose. 30 cts. each

Named varieties, except where otherwise noted, 25 cts. each, \$2.50 per doz.; mixed varieties, \$1.50 per doz.

PHYSALIS. Ordinary soil in sun.

Francheti (Ground Cherry). Brilliant orange-scarlet seed-vessels or "lanterns." 2 ft. April-May.

Bunyardi. Different and very interesting. 25 cts. each.

Phygelius capensis (Cape Fuchsia). Light purplish flowers all summer. 2 ft. 75 cts. each.

PHYSOSTEGIA. Ordinary soil in sun.

virginiana (Virginia False Dragonhead). Pink. 2-3 ft. May-June.

—**alba.** White. 2-3 ft. May-June.

—**gigantea.** Tall; deep pink. 5-6 ft. June.

—**Vivid.** Deep pink. Low. 1½ ft. May-June. 50 cts. each.

PLATYCODON. Ordinary soil in sun.

grandiflorum (Balloon Flower). Deep blue. 1-2 ft. June-July.

Mariesi. Low light bluish white.

PODOPHYLLUM. Acid soil in shade.

peltatum (May Apple). White flowers, followed by yellow, edible fruit. April-May. 8 in.

POLEMONIUM. Ordinary soil; light shade.

caeruleum (Greek Valerian). Blue. ½ ft. May-June.

—**album.** White. 1-1½ ft. May-June.

—**himalayacum.** Sky-blue. 2 ft. June-Aug.

POLYGONUM. Leafmold soil in light shade.

affine (Brunonis). (Himalayan Fleece Flower). Pink. 10 in. Aug.-Sept.

cuspidatum (Sieboldi). Creamy white flowers. 5-7 ft. Aug.-Sept.

POTENTILLA. Ordinary soil in sun.

***atrosanguinea** (Himalayan Cinquefoil). Red. 18 in. June-Aug.

californica. Double; yellow. 2 ft. July-Aug. 50 cts. each.

nepalensis (formosa). Rust red. 2 ft. July-Aug. 30 cts. each.

purpurea. Dark red. 1-2 ft. July-Sept. 30 cts. each.

***Tonguei.** Shading of yellow-orange. 6-8 in. July-Aug. 30 cts. each.

William Rollison. Double; mahogany; suffused orange. 50 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



PRIMULA ACAULIS

POTERIUM. Ordinary soil in sun
obtusum (Burnet). White and rose. 2 ft. July-Sept.

PRIMULA

Hardy primroses are one of the most charming and delightful spring flowering plants for either the rock garden or as edgings to the perennial borders. A cool moist soil in semi-shade suits them best.

***acaulis** (English Primrose). Showy and fragrant. 6 in. April-May.

—***coerulea**. A rare variety which comes in exquisite shades of blue. 6 in. April-May. 60 cts. each.

—***fl. plena alba**. An extremely choice and very rare type with double white flowers. 6-8 in. April-May. 75 cts. each.

—***fl. pl. lilacina**. Another rare gem with double lavender flowers. Very choice. 6-8 in. April-May. 75 cts. each.

—***Auricula**. Most attractive combination of colors. 6 in. May-June. 40 cts. each.

***Bulleyana**. Red-orange-buff. June-July. 35 cts. each.

***cortusoides**. Red. 12 in. June-July. 30 cts. each.

***denticulata cashmeriana**. Purplish lavender. Extremely early. 12 in. March-April. 35 cts. each, \$3.50 per doz.

***japonica**. One of the best. Pyramids of rich-colored flowers. 18 in. June. 30 cts. each.

x***Poissoni**. Rich purple. 15 in. June-July. Sold out.

x***sikkimensis**. Yellow. 18 in. June. Sold out.

***Veitchi**. Rosy purple. 15 in. June-July. 50 cts. each.

***veris suaveolens**. Yellow. 9 in. May-June. 30 cts. each.

***veris (officinalis)**. (Cowslip Primula). A strain with a wide range of colors. 12 in. June-July.

PRUNELLA. Moist soil in shade.

***superba rosea** (Self Heal). Pink. 1 ft. July-Aug.

PULMONARIA. Ordinary soil in sun.

***angustifolia** (Cowslip Lungworth). Deep gentian-blue. 12 in. April-May. 35 cts. each.

PYRETHRUM. Rich soil in sun.

roseum fl. pl. (Chrysanthemum coccineum). Beautiful double flowers in many choice shades. 2 ft. June-July. \$1.00 each.

RANUNCULUS. Ordinary soil in sun or light shade.

acris flore-pleno (Buttercup). Double; light yellow. 18 in. May-June.

repens flore-pleno. Creeping; yellow; double. 10 in. May-June.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



SEDUM KAMSCHATICUM (See Page 28)

- RHEXIA**. Ordinary soil in sun.
virginica (Common Meadow Beauty). Rosy purple with golden anthers. 15 in. July-Sept.
- RODGERSIA**. Moist peaty soil in shade.
podophylla (Bronzeleaf). Ornamental leaves and white flowers. 2 ft. July-Aug.
- ROSMARINUS**. Ordinary soil in sun.
officinalis (Rosemary). Yields an aromatic oil. Old fashioned herb. Not hardy except in South.
- RUDBECKIA**. Rich soil in sun.
maxima (Great Coneflower). Bluish metallic foliage; yellow flowers with long, black cone. 5 ft. June-Sept.
laciniata, **Golden Glow**. Golden yellow; double. 6-8 ft. June-Sept.
speciosa (**Newmanni**). (Showy Coneflowers.) Orange-yellow. 2-3 ft. July-Oct.
subtomentosa (Black-eyed Susan). Bright yellow, with brown disk. 2½ ft. Aug.-Sept.
- RUMEX**. Ordinary soil in sun.
patientia (Sorrel). Used in the kitchen.
- UTA**. Ordinary soil in sun.
graveolens (Rue). Yellow flowers; entirely aromatic.
- SALVIA**. Ordinary soil in sun.
x argentea (Silver Sage). Large, white, woolly leaves; light bluish flowers. 2-3 ft. June. 30 cts. each.
azurea. Light, sky-blue. 4-5 ft. Aug.-Sept.
azurea grandiflora (**Pitcheri**). Deep blue; large, late. 4-5 ft. Sept.-Oct. 40 cts. each.
farinacea (Mealy-cup Sage). Whorls of spikes of blue flowers. 2½ ft.
globosa. White, woolly foliage.
officinalis (Garden Sage). Used for culinary purposes.
pratensis. Dark blue. 2 ft. June-Aug.
Sclarea turkestanica. Green, woolly foliage; large bluish white flower-bracts. 3 ft. July.
virgata nemorosa. Light blue. 3 ft. May-June.
- SANTOLINA**. Ordinary soil in sun
**Chamaecyparissus* (Lavender Cotton). Evergreen; silvery white leaves. 15 in.
- SAPONARIA**. Ordinary soil in sun.
**ocymoides* (Rock Soapwort). Trailing. Rosy flowers. 6 in. May-June.
officinalis (Bouncing Bet). White to rose-pink. 2 ft. July.
- SATUREIA**. Ordinary soil in sun.
montana (Savory). Purple. 8 in. June-July.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.

HAMMONASSETT GARDENS, MADISON, CONN.

SAXIFRAGA. Ordinary soil in sun.

- ***crassifolia (Megasea).** (Leather Saxifrage.) Pink.
- ***Himalaica.** Pink; later.
- ***Macnabiana.** White, spotted. 35 cts. each.
- ***Umbrosa** (London Pride). Pink flowers. Requires shade. 35 cts. each.
- ***H. S. Stokes** (Mossy). Rich red. 50 cts. each.
- ***Pyramidalis** (cotyledon). Large leaf rosettes, white flowers. 50 cts. each.

SCABIOSA. Rich soil in sun.

- caucasica** (Blue Bonnet). Lavender. 18 in. June-Sept. 35 cts. each.
- alba.** White. 18 in. June-Sept. 35 cts. each.
- japonica.** Lavender-blue. 2 ft. July-Sept.

SCILLA excelsior. Mixed colors; 20c each; \$2.00 doz.

SCUTELLARIA. Ordinary soil in sun.

- ***baicalensis** (Skullcap). Blue flowers in late summer. 12-15 in. July-Aug. 30 cts. each.

SEDUM. Ordinary soil in sun.

- ***acre** (Gold Moss). Bright yellow. 4 in. May-June.
- ***album** (White Stonecrop). White. 4-6 in. July-Aug.
- ***Aizoon.** Yellowish flowers. 1 ft. June.
- ***Altissimum.** Light yellow, upright habit. 25 cts. each.
- ***anglicum.** White. 3 in. June-July. 30 cts. each.
- ***Anacampseros** (Shy Stonecrop). Low; light green foliage. 6 in.
- ***carpaticum.** Distinct, strong grower. 30 cts. each.
- ***dasyphyllum.** White. 2 in. Light pink. June-July. 35 cts. each.
- ***Fabaria.** Narrow variegated leaves; pink flowers. 35 cts. each.
- ***japonicum.** Yellow. 8-10 in. July-Aug.
- ***kamschaticum** (Orange Stonecrop). Golden yellow. 8 in. July-Aug.
- ***Lidium.** Crimson-tinted foliage in autumn. 3 in. July.
- ***Maximowiczii** (Amur Stonecrop). Yellow. 10 in. July.
- ***Middendorffianum.** Yellow. 30 cts. each.
- ***oppositifolium** (Two-Row Stonecrop). White. 6 in. July.
- ***oregonum.** Distinct. emerald green foliage. 6 in. June-July. 30 cts. each.
- ***Pruniatum.** Pale yellow, frosted. 30 cts. each.
- ***Fosterianum.** Very distinct. Gray-purple foliage. 30 cts. each.
- ***reflesum.** Yellow. 4-6 in. July. Fine carpeter. 30 cts. each.
- ***Sieboldi.** Light pink. 8-10 in. Sept.
- ***Reoplesiana.** Upright growing. 25 cts. each.
- ***Rupestre.** Yellow. 25 cts. each.
- ***Sexangulare.** Bright green leaves, six-angled; yellow flowers.
- spectabile** (Showy Stonecrop). Rosy pink. 12-15 in. Sept.
- spectabile atropurpurea** (Purple Showy Stonecrop. 12-15 in. Aug.-Sept. 40 cts. each.
- spectabile foliis variegatis.** Yellow variegated foliage. 12-15 in. Aug.-Sept.
- ***stoloniferum (spurium).** (Running Stonecrop.) Pink. 6-8 in. July-Aug.
- ***stoloniferum coccineum** (Scarlet Running Stonecrop). Carmine. 6-8 in. July-Aug.
- ***undulatum.** Creeping, pinkish flowers.
- ***tenuifolium.** White.

SEMPERVIVUM. Well drained soil in sun.

- ***Browni.** For rockeries. 30 cts. each.
- ***glaucum.** Grayish, for rockeries. 30 cts. each.
- ***Laggeri.** White web-different. 30 cts. each.
- ***Montanum,** distinct, for rockeries. 30 cts. each.
- ***tectorum (robustum).** (Roof House-Leek.) For rockeries. 2 in. Forms cactus-like rosettes.
- ***globiferum.** Compact, light green, distinct. 35 cts. ea.


SENECIO. Ordinary soil in sun.

- pulcher** (Uruguay Groundsel). Rosy purple. 2-4 ft. July-Aug. 35 cts. each.
- Veichianus.** Yellow. 3-4 ft. July-Aug. 50 cts. each. \$5.00 per doz.

SIDALCEA. Ordinary soil in sun.

- candida** (White Prairie Mallow). Pure white. 2½ ft. July-Aug.
- Rose Queen.** Rose-pink. 3-5 ft. July-Aug. 35 cts. each.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



STOKESIA

SILENE. Well drained soil in sun.

**alpestris* (Alpine Cathchfly). White. 4-6 ft. May-June.

**maritima*. White. 6 in. May-June. 40 cts. each.

**Schafta*. Bright pink. 6 in. July-Sept. 30 cts. each.

SILPHIUM. Ordinary soil in sun.

perfoliatum (Rosinweed). Yellow. 6-8 ft. July-Aug.

SISYRINCHIUM. Ordinary soil in sun.

angustifolium (bermudianum). (Blue-eyed Grass.) Blue flowers on tops of grass-like foliage. 1 ft. May-July.

SOLIDAGO. Ordinary soil in sun.

missouriensis. Sulphur-yellow. 3-4 ft. Aug.-Sept.

STACHYS. Ordinary soil in sun.

grandiflora (Betony). Pink; snowy. 12 in. June-July.

lanata. Woolly, silvery white foliage; purple flowers.

STATICE. Well drained soil in sun.

**Armeria* (Common Thrift). True. Rose. 3-6 in. May-June.

**cephalotes rubra* (Sea-pink). 12-18 in. June. 35c ea.

**pseudo-armeria (Armeria formosa)*. (False Thrift.) Bright rose-pink. 12-15 in. June.

STENANTHIUM. Moist, cool soil in shade.

robustum (Feather Fleece). Showy white. Fleecy flowers. 3-4 ft. July-Aug. 35 cts. each.

STOKESIA. Rich soil in sun.

laevis (cyanea). (Stokes' Aster.) Lavender-blue. 1-2 ft. July-Sept.

—*alba*. White. 1-2 ft. July-Sept.

—*rosea*. Pink. 1-2 ft. July-Sept. 50 cts. each.

x *lutea*. Yellow. Sold out for season.

TANACETUM. Ordinary soil in sun.

vulgare (Common Tansy). Useful as herbs.

TEUCRIUM. Ordinary soil in sun.

Chamaedrys (Germander). Purple. 1-2 ft. July-Sept. 30 cts. each.

orientale (Eastern Germander). Blue. 50 cts. each.

THALICTRUM. Ordinary soil in light shade.

aquilegifolium (Columbine Meadow Rue). White and pink. 2-3 ft. May-July.

dipterocephalum (Yunnan Meadow Rue). Distinct. Violet-mauve, brightened with lemon-yellow stamens and anthers. 4 ft. Aug.-Sept. 40 cts. each.

glaucum. Glauous foliage; bronze-yellow flowers. 2 ft. June-July.

flavum. Yellow. 3-4 ft. July-Aug.

**minus* (Low Meadow Rue). Greenish yellow. 1-2 ft. June-July.



VERONICA SUBSESSILIS

- THERMOPSIS.** Ordinary soil in sun.
caroliniana. Yellow. 3-4 ft. June-July. 35 cts. each.
- THYMUS.** Well drained soil in sun.
 **Serpyllum* (Thyme). Dark green foliage. 6 in. Fine ground cover.
 **Serpyllum album variegatum.* Silver leaf variegated Thyme. 35 cts. each.
 *—*aureus.* Golden variegated foliage. 6 in. Charming.
 *—*coccineus.* Dark green foliage; red flowers. 6 in.
 *—*lanuginosus* (Wooly-leaved thyme). 6 in. Choice.
vulgaris. Used in the kitchen. 9-12 in.
- TIARELLA.** Cool soil in shade.
 **cordifolia* (Heart-leaved Foam-flower). 6-8 in. May. 35 cts. each.
purpurea major (Foam Flower). Bright foliage; salmon-red flowers. 15-18 in.
- TRADESCANTIA.** Ordinary soil in sun.
virginiana (Virginia Spiderwort). Blue or violet. 2 ft. July-Sept.
 —*alba.* White. 2 ft. July-Sept.
 —*coccinea.* Red. 2 ft. July-Sept. 30 cts. each.
- TRITONIA (Montbretia).** Ordinary soil in sun.
aurantiaca. Deep golden yellow.
crocosmaeflora. Scarlet and yellow.
Hybrids. New. Big-flowering, mixed. 20 cts. each. \$2 per doz.
Pottsi. Orange-scarlet.
speciosa. Yellow with red.
- All Tritonias 30 cts. per doz., except where otherwise noted.**
- TROLLIUS.** Rich soil in semi-shade.
 The trollius or (Globe Flower) is a very charming plant and gives a wealth of bloom with little care. They should be planted in masses for best effect.
 —**Canary Bird.** Pale yellow. 1-1½ ft. May-June. June.
 —**Salamander.** Dark yellow. 1-1½ ft. May-June.
europaeus. Large; lemon-yellow. 1-1½ ft. May-Aug.
 —**superbus.** Pure yellow. 1-1½ ft. May-Aug.
Excelsior. Orange-red. 2 ft. April-June. 50 cts. each.
Golden Annette. Yellow. 1½ ft. May-June.
Orange Globe. Golden orange. 2 ft. May-June. 50 cts. each.
Orange Princess. Deep orange. 2 ft. May-June. 50 cts. each.
ledebouri. Orange flowers, late. 2½ ft. 75 cts. each.
- All Trollius are 35c each, \$4 per doz., except where otherwise noted.**
- Collection of 6 varieties of Trollius, two of each our choice, \$4.**
- TUNICA.** Light, well drained soil in sun.
 **Saxifraga* (Tunic Flower). Pink. 6 in. July-Sept.
 *—*alba.* White. 6 in. July-Sept.
 x*—**Fl. pl.** Double white. 35 cts. each. (Sold out for season.)
- UNIOLA.** Ordinary soil in sun.
latifolia (Spike Grass). Drooping panicles of ornamental flat heads. 2-3 ft.

HARDY PERENNIALS—ROCK PLANTS

- VALERIANA.** Ordinary soil in sun.
**officinalis* (Garden Heliotrope). Rose-pink strong odor. 4 ft. June.
- VERBASCUM.** Ordinary soil in sun.
**longifolium pannosum* (Golden Gate Mullein). Purple and other shades. 3-4 ft. July-Sept.
**olympicum*. Yellow. 6-10 ft. July.
**theysiforme (densiflorum)*. Yellow. 4-5 ft. July-Sept. 75 cts. each.
- VERONICA.** Ordinary soil in sun.
**incana* (Woolly Speedwell). Silvery gray foliage and dark violet-blue flowers. 1 ft. July-Aug.
**gentianoides* (Genotian Speedwell). Violet. 9 in. May-June. 30 cts. each.
**longifolia subsessilis* (Clump Speedwell). Intense lustrous blue. 2 ft. Aug.-Sept. 30 cts. each, \$3 per doz.
**repens* (Creeping Speedwell). White and blue. 2 in. May-June.
**spicata* (Spike Speedwell). Blue. 1½ ft. July.
—*alba*. White. 1½ ft. June-July.
—*Blue Ridge*. Dark blue. 1½ ft. June-July. 30c each.
—*rosea*. Rose. 1½ ft. June-July.
**Teucrium rosea*. Dwarf; light pink. 6 in. May-June.
- VINCA.** Ordinary soil in light shade.
**major* (Bigleaf Periwinkle). Green leaves; blue flowers. Creeper.
—*variegata*. Silvery variegated foliage. Creeper. 35 cts. each.
**minor*. Evergreen trailer; much smaller leaves than "V. major."
- VIOLA.** Best in rich soil; light shade.
**cornuta* (Tufted Pansy). True. Dark blue. 10 in. June-Aug. 30 cts. each.
*—*Admiration*. Soft blue. 9 in. June-Aug.
*—*alba*. White. 9 in. June-Aug.
**Cornuta Apricot*. Rich apricot shade. 35 cts. each.
*—*Jersey Gem*. Pure violet. Blooms all season. 9 in. 35 cts. each.
*—*papilio*. Violet with dark eye. 9 in. June-Aug.
**Lutea*. Bright yellow. 9 in. May-Aug.
**odorata alba*. White, fragrant. 3-6 in. June.
*—*odorata rosea*. Pink. 30 cts. each.
*—*flore-pleno*. (Violet). True. Double white. Fragrant. 9 in. June.
*—*flore-pleno alba*. White violet. Double. 9 in. June.
*—*Gov. Herrick*. Sweet-scented; clear shade of blue. 8 in. June.
**tricolor* (Pansy). Best of colors and sizes at market price.
- YUCCA.** Well drained soil in sun.
**filamentosa* (Adam's Needle). Sword-like foliage; spikes of cream-white, fragrant flowers. 4-6 ft. June-July. 25 cts. to \$1 each.
**filamentosa variegata*. Yellow and green striped foliage. 4-6 ft. June-July. \$1 each.
- ZEPHYRANTHES.** Cool soil in light shade.
**Atamasco* (Atamasco Lily; Fairy Lily). Pink and white


ANNUALS AND BEDDING PLANTS

In addition to my complete list of perennials and rock plants, I also grow a very large variety of annuals and bedding plants. These will be found most useful and effective in beds and borders, to supplement the feast of summer bloom in the home grounds. These are available—as long as they last—at lowest market prices.

Among them are—*Ageratum*, *Begonia*, *Calendula*, *Centaurea*, *Chinese Asters*, *Chrysanthemum*, *Cobaea*, *Cosmos*, *Geranium*, *Heliotrope*, *Lantana*, *Lobelia*, *Lemon Verbena* (*Aloysia*), *Marguerites*, *Marigold* (tall and low. or French), *Salpiglossis*, *Salvia*, *Scabiosa*, *Summer Ivy*, *Verbena*, *Vinca variegata* from pots, *Zinnia* in colors or mixed. and many others.

All Bedding Plants here mentioned and those not mentioned have been at least once transplanted and grown in coldframes to insure their hardiness.

WHERE PRICES ARE NOT GIVEN, SEE PAGE 1.



CHOICE CACTI

Our collection of cacti and succulants comprises many rare and attractive plants which are considered the curios in the plant kingdom. Our assortment of over 500 varieties, which we grow mostly from seed, are consequently more acclimated for this section of the country. We heartily recommend them to any one interested in growing these kind of **nature's gems**, particularly the varieties such as **Old Man Cactus, Living Rock Cactus, Putting-in-a-Bag Cactus, Allegator Cactus, Bishopshead, Giant Column, Night Candle, Rattle Snake's Tongue, Case Knife Cactus**, etc.

You are cordially invited to visit our place if interested in securing some of these curios, or let us know your wants so we may submit to you our moderate prices.

ADDITIONAL UNCATALOGUED VARIETIES

Besides the galaxy of delightful and exquisite plants mentioned in the foregoing lists, we are constantly trying out many additional varieties for hardiness as well as other merits. The quantities of these, available, are limited and do not warrant listing. In this newer and rare collection you may find some rare favorites you may be anxious to obtain and if you will kindly let us know your wishes, giving some indication of your requirements, it is not only possible, but probable, we may have the desired plants to complete the enjoyment of your "Garden of Desire."

LOCATION. Our Gardens are located on main Boston Post Road $1\frac{1}{2}$ miles east of Madison, or 2 miles west of Clinton, on the edge of Hammonasset State Park (Shore).

VISITORS. We are always glad to welcome visitors who are interested in hardy plants. The flowering season starts with the opening of spring and continues until late fall, when a strong frost generally destroys the last of the very late-flowering plants.

LANDSCAPE SERVICE

We are equipped to plan and develop the home garden or the estate and can advise you of the materials and their needs in soil and culture. We will gladly aid you in landscape problems and if plans are necessary we are prepared to make them.

CUT-FLOWERS FOR ALL OCCASIONS

All through the season we have a large assortment for cut-flowers for your selection. Many of them are from very rare varieties.

HAMMONASSETT GARDENS, Madison, Conn.

HAMMONASSETT GARDENS

"SPECIAL OFFERS"

OFFER No. 1

Names	Catalogue Price
ACHILLEA, Parker's Variety.....	\$.25
ANCHUSA Myosotidiflora50
EUPATORIUM Coelestinum25
EUPHORBIA Corollata25
GAILLARDIA Aristata25
HELIOPSIS Scabra25
HEMEROCALLIS Thumbergi30
STOKESIA Laevis25
PRIMULA (Our Choice).....	.25
PENSTEMON Torreyi25
LIATRIS Pycnostachya25
PHLOX Paniculata25

TOTAL (Catalog Price).....\$3.30

SPECIAL 12 Plants (one of each of above).....\$2.75
24 Plants (two of each of above).....\$5.25

COMBINATION OFFER NO. 2 (Includes Collection No. 1)

Names	Catalogue Price
ACHILLEA Perry's White.....	\$.25
FILIPENDULA Ulmaria Fl. Pl.....	.25
PAPAVER Orientale25
PRIMULA (Our Choice).....	.25
BANUNCULUS Acris Fl. Pl.....	.25
STOKESIA Alba25
TRADESCANTIA Vir. Coccinia.....	.30
VERONICA Spicata25
IRIS (Our Choice).....	.35
IRIS (Our Choice).....	.35
ASTILBE Gladstone50
DELPHINIUM (Our Choice).....	.25

TOTAL (Catalog Price).....\$3.50

SPECIAL 24 Plants (1 each of collection 1 and 2) \$6.75
48 Plants (2 each of collection 1 and 2) \$11.75

OFFER No. 3—ROCK PLANTS

Names	Catalogue Price
AJUGA Repens	\$.25
SEDUM (Our Choice).....	.25
SEDUM (Our Choice).....	.25
SEDUM (Our Choice).....	.25
TUNICA Saxifraga25
IRIS Pumila Bride.....	.30
VIOLA Cornuta Apricot.....	.35
VERONICA cricoides rosea.....	.25
PRIMULA (Our Choice).....	.25
PRIMULA (Our Choice).....	.25
PHLOX Sublata Alba.....	.25
PAPAVER Rupifragum30

TOTAL (Catalog Price).....\$3.20

SPECIAL 12 Plants (one of each of above).....\$2.75
24 Plants (two of each of above).....\$5.25

COMBINATION OFFER No. 4

Names	Catalogue Price
SEDUM (Our Choice).....	\$.40
SEDUM (Our Choice).....	.40
SEMPERVIVUM Tectorum25
HOSTA Fortunei25
GERANIUM Sanguineum Album.....	.25
EPIMEDUM Sulphureum35
EPIMEDUM Macranthum Niveum.....	.35
SAXIFRAGA Himalaica25
VERONICA Repens25
ACHILLEA Tomentosa25
IRIS Formosa30
PRIMULA (Our Choice).....	.25

TOTAL Catalog Price).....\$3.55

SPECIAL 24 Plants (1 each of collection 3 and 4) \$6.25
48 Plants (2 each of collection 3 and 4) \$11.25

NO SUBSTITUTES WILL BE MADE IN THESE OFFERS.

We offer these special collections of selected plants to enable you to produce a distinctive and uncommonly beautiful hardy flower garden, that will bloom continuously throughout the summer. Each offer has been selected so that when properly arranged in a garden it will produce a complete unit by itself.

Hartland Adv. Service, Horticultural Printing,
154 Nassau Street, New York.



HAMMONASSETT GARDENS
MADISON, CONN.

